

January, 2011

# 3M <sup>™</sup> Scotch<sup>®</sup> Box Sealing Tape 313

#### **Product Description**

Scotch® Box Sealing Tape 313 is designed for easy handling and smooth dispensing. The high coating weight of acrylic adhesive makes it ideal for wide temperature swings and applications where it is applied. It adheres well to recycled liner paper and will maintain its performance and appearance better than most products when exposed to UV light.

#### **Product Features**

- Adheres instantly to a variety of surfaces.
- Conformable backing.
- Edge tear and split resistant.
- Good aging in sunlight or fluorescent lighting.

ТΜ

- Reliable closures.
- Long life in use.



# 3M <sup>™</sup> Scotch<sup>®</sup> Box Sealing Tape 313

#### **Technical Information Note**

The following technical information and data should be considered representative or typical only and should not be used for specification purposes.

## **Typical Physical Properties**

Property	Values		Method
Color	Clear and Tan		
Total Tape Thickness	0.065 mm	2.55 mil	ASTM D3652
Backing Thickness	0.041 mm	1.6 mil	ASTM D3652
Backing	Biaxially oriented polypropylene film		
Adhesive	*Pressure sensitive acrylic		
*Note	Requires no moisture, heat or solvent for activation.		

### **Typical Performance Characteristics**

Property	Values		Method	Substrate
Peel Adhesion	35 N/100mm	32 oz/in	ASTM D3330	Stainless Steel
Elongation at Break	125 %		ASTM D3759	

Tensile Strength		Test Condition
613 N/100mm	35 lb/in	Machine Direction
981 N/100mm	56 lb/in	Cross Direction

Property: Tensile Strength Method: ASTM D3759

## **Available Sizes**

Property	Values	
Standard Length	50, 100, 914, 1500 m	55, 109, 1000, 1641 yd
Standard Width	48, 72 mm	1.9, 2.8 in
Core Size (ID)	76.2 mm	3 in

## Storage and Shelf Life

Store in a clean, dry place. Temperature of 40-80°F (4-26°C) and 40 to 50% relative humidity are recommended. To obtain best performance, use this product within 18 months from date of manufacture.

# 3M <sup>™</sup> Scotch® Box Sealing Tape 313

#### Information

**Technical Information:** The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.

**Product Selection and Use:** Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

### Trademarks

Scotch is a registered trademark of 3M.

#### References

### Safety Data Sheet (SDS)

https://www.3m.com/3M/en\_US/company-us/SDS-search/results/?gsaAction=msdsSRA&msdsLocale=en\_US&co=ptn&q=313

#### **ISO Statement**

This Industrial Adhesives and Tapes Division product was manufactured under a 3M quality system registered to ISO 9001 standards.